

From: Sgraves@TechLawInc.com
Sent: 1/13/2012 4:51:45 PM
To: "Richard Fetzer/R3/USEPA/US@EPA" <Fetzer.Richard@epamail.epa.gov>
CC: "Stephanie Wenning/R3/USEPA/US@EPA" <Wenning.Stephania@epamail.epa.gov>; "Richard Rupert/R3/USEPA/US" <Rupert.Richard@epamail.epa.gov>; "Ann DiDonato/R3/USEPA/US@EPA" <didonato.ann@epa.gov>
Subject: RE: Data Review Effort

OK. So I can properly manage the work effort required, is this Data Review Work Plan to be impended at the same time as the sampling effort? Currently, we are scheduled to move to Dimock on 1/18/12. If we hold to that schedule we will have personnel sampling and entering data simultaneously.

Thanks,

Suddha Graves
TechLaw, Inc.

From: Richard Fetzer [mailto:Fetzer.Richard@epamail.epa.gov]
Sent: Friday, January 13, 2012 4:15 PM
To: Graves, Suddha
Cc: Stephanie Wenning; Richard Rupert; didonato.ann@epa.gov
Subject: Data Review Effort

Suddha,
See the attached Data Review Plan (as a reference)
We are working hard to get you guys started in reviewing the newly submitted Cabot data. Its up on the FTP site right now.
Rich Rupert will be finishing the spreadsheet (with Stephanie's review/input) Hope to have that done by tomorrow.
Then Ann will populate the spreadsheet with names and addresses, as we have them
Your priority will be the 4 homes that are getting water and then the 17 remaining homes that are in the CO&A, but aren't getting water from EPA. (Ann will make a note on them) Since we are closed on Monday and you aren't, I am hoping that you will be finished with the CO&A homes by Tuesday for us to move ahead with. That would be all 21 homes (again Ann will note them).
Then we have information that as many as 30 homes have been sampled. that's the next priority.
We hope you would finish these home by next Friday.
The analytes for you to fill in the blanks are in the spreadsheet for you.
Let me know if you have any questions. I will be unavailable from 9am to 11am tomorrow.

Rich
Richard M. Fetzer
Federal On-Scene Coordinator
100 Gypsum Road
Stroudsburg, PA 18360
(215) 341-6307